

**NOTES:**

The copyright © of this drawing is vested in the Architect and must not be copied or reproduced without consent.

All Contractors must visit the site and be responsible for taking and checking dimensions relative to their work. Sutton and Wilkinson Chartered Architects to be advised of any variation between drawings and site conditions.

DO NOT SCALE OFF THIS DRAWING... IF IN DOUBT ASK



SECOND FLOOR PLAN

NOTE: PASSENGER LIFT DESIGN AS PER SPECIALIST DRAWINGS (LATEST VERSION).

NOTE: INTERNAL BUILDERS WORK REQUIREMENTS TO BE CONFIRMED.

NOTE: ALL EXTERNAL WALL VENT POSITIONS AND SIZES TO BE VERIFIED AND SPECIFIED BY MECHANICAL SUB-CONTRACTOR.

NOTE: GA PLANS ARE FROZEN (ON LATEST REVISION 13-01-15). FIRE STRATEGY UNDER CONTINUED DEVELOPMENT. SETTING OUT MAY THEREFORE ALTER. NOTE: MOVEMENT JOINTS TO BE INDICATED AS PER CWA CONSULTING DRAWING NO'S TBC

NOTE: AS REQUIRED UNDER APPROVED DOCUMENT C THE AIRFLOW TO THE SUB-FLOOR VOID NEEDS TO BE PROVIDED AT A RATE OF EITHER 500MM<sup>2</sup> PER SQUARE METRE OF GROUND FLOOR AREA; OR 1500MM<sup>2</sup> PER LINEAR METRE OF PERIMETER WALL. BASED ON RYTONS BUILDING PRODUCTS LTD'S PUFV/MFAB 206 NUMBER PERISCOPIC AIR BRICKS ARE REQUIRED. EQUAL SPACING REQUIRED AROUND BUILDING PERIMETER TO PROVIDE REQUIRED VENTILATION RATE.

NOTE: ALL INCOMING SERVICE LOCATIONS AND SERVICE PROVISION INFORMATION TBC BDSP. ALL M&E INFORMATION TO BE VERIFIED BY M&E SUB-CONTRACTORS.

NOTE: REFER TO S&W 400 SERIES DRAWINGS FOR INDIVIDUAL ROOM DRAWINGS



**CONSTRUCTION**

REVISION:	AMENDMENT:	DATE:
A	Rwp and S&VPs added	14-08-14
B	General Update of Internal Layouts	29-08-14
C	General update of Plans & Status	15-09-14
D	General drawing update	17-10-14
E	Bathroom layouts amended & General Drawing Update	
F	Dry riser Inlet 02 relocated / valve connection located within Staircase 02. Valve connection located in Staircase 01 M&E service void located by store 6	GMB 05-12-14
G	Drawing updated to Preliminary / Construction status	GMB 21-04-15
H	Drawing updated to Construction status	GMB 11-05-15
I	Passenger Lift shaft wall construction changed to 140mm	GMB 05-06-15

PROJECT:  
 Redevelopment of Homestead & May Place  
 Brampton Road  
 Newcastle Under Lyme  
 Staffordshire


CLIENT:  
 Wrekin Housing Trust

TITLE:  
 PROPOSED SECOND FLOOR PLAN SHEET 2

**SUTTON AND WILKINSON**  
 CHARTERED ARCHITECTS

Victoria House, 13 New Penkridge Road,  
 Cannock, Staffs, WS11 1HW

Telephone: 01543 466441  
 Facsimile: 01543 462469  
 e-mail: office@suttonwilkinson.co.uk



SCALE	DRAWN	DATE	SIZE
1 : 100	GMB	SEPT 14	A1
DRAWING NUMBER	REVISION		
2259-126	I		